



simply the better solution

Sihl Inc.
800.366.7393
www.sihlinc.com



Latex & UV Media

Sihl Quick Reference Guide



The mark of
responsible forestry

Certified for
HP Latex Inks

PHOTO MEDIA

3145	GLAMOUR	12mil	(Satin)	SLU	
	Roll Length: 100' Width: 30", 54"				3" Core
	• Flexible, Semirigid Board, High Density and Color Gamut, Instant dry characteristics				
3257	POSTERCOLOR X	7.5mil	(Matte)	LAU	FSC Certified
	Roll Length: 150' Width: 36", 54", 60"				3" Core
	Roll Length: 100' Width: 24", 36", 42", 50", 60"				3" Core
	• Wide gamut and high optical densities and cockle free.				
	• High Ink Load Capacity, Fast Dry, Compatible with PSA & Thermal Overlaminates				
3357	PACIFICA II	7mil	(Matte)	SLU	FSC Certified
	Roll Length: 150' Width: 30", 36", 54", 60"				3" Core
	• Bright White, Scratch Resistant, Water Resistant, No Show Through, No Cockling				
3686	TRISOLV PRIMEART	8mil	(Semi-Gloss)	SLU	FSC Certified
	Roll Length: 165' Width: 30", 42", 54", 60", 63"				3" Core
	Roll Length: 656' Width: 63"				6" Core
	• Bright White, Scratch Resistant, Can Fold Without Cracking, Wet Strength for Posting				
3699	TRISOLV PHOTOART	9mil	(Gloss)	SLU	FSC Certified
	Roll Length: 150' Width: 36", 54", 63"				3" Core
	• Photorealistic and brilliant color reproduction, homogenous gloss surface				
	• High degree of stiffness, Water repellent surface & wet strength.				
3698	IMOLA	7mil	(Pearl)	LAU	FSC Certified
	Roll Length: 150' Width: 36", 54", 60"				3" Core
	Roll Length: 100' Width: 24", 36", 42", 50", 60"				3" Core
	• Pearl Finish, Exceptional Color Gamut, Instant Dry, Folds Without Cracking				
	• Anti-reflective pearl finish, best cost to performance ratio.				
3670	IMOLA PSA	9mil (2mil liner)	(Pearl)	LAU	
	Roll Length: 100' Width: 24", 36", 42", 50", 60"				3" Core
	• Pearl Finish, Exceptional Color Gamut, Instant Dry, Folds Without Cracking				
	• Aggressive adhesive, can be adhered to a variety of surfaces.				

IMAGING MEDIA

3683	TRISOLV PRIMEART BLUEBACK PSA	9mil	(Semi-Gloss)	SLU	
	Roll Length: 164' Width: 54"				3" Core
	• Blue Back for blackout applications, Bright White, Scratch Resistant, Water Resistant				
	• Wet Strength for Posting, 11 mil with Silicon Release Liner				
3689	TRISOLV POSTART	6mil	(Satin)	SLU	FSC Certified
	Roll Length: 200' Width: 30", 42", 54", 60", 63"				3" Core
	• Bright White, Scratch Resistant, Water Resistant, Can Fold Without Cracking, Wet Strength				
3687	TRISOLV POSTART BLUEBACK	6mil	(Satin)	SLU	FSC Certified
	Roll Length: 200' Width: 63"				3" Core
	• Blue Back for blackout applications, Bright White, Scratch Resistant, Water Resistant				
	• Can Fold Without Cracking, Wet Strength for Posting				
3333	TRUECOLOR	37#/140gsm	(Matte)	ALU	FSC Certified
	Roll Length: 100' Width: 24", 36", 42", 50", 60", [200' 40" Ⓢ]				3" Core
	• Bright White, High Color Density, Fast Dry, Excellent for Display and Technical Graphics				
3335	TRUECOLOR	48#/180gsm	(Matte)	ALU	FSC Certified
	Roll Length: 100' Width: 24", 36", 42", 50", 60"				3" Core
	• Bright White, High Color Density, Fast Dry, Excellent for Display and Technical Graphics				

Aqueous Compatible: **A**

Eco/Solvent Compatible: **Ⓢ**

Latex Compatible: **Ⓢ**

POINT OF SALE MEDIA

3629	SYNTISOL Roll Length: 100' Width: 36", 54", 60" • Tear Resistant Polypropylene Base, Lay Flat, Water Resistant, Scratch Resistant • Fast Drytime and high color brilliance.	7mil	(Matte)	SLO 3" Core	Banner
3391	SYNTITEC GRAYBACK Roll Length: 100' Width: 36", 42", 50", 60" • Polypropylene with a grayback for 99% Opacity / Blockout	7mil	(Matte)	ALUP 3" Core	Roll Up
3248	DISPLAYPRO C2S Roll Length: 100' Width: 36", 54" • Tear, Scratch, & Chemical Resistant, Heat, humidity, & climate stability • Either side or both printable, Curl resistant, Dimensionally stable ensuring graphic integrity	8mil	(Satin)	LU 3" Core	Roll Up
3241	DISPLAYPRO C2S Roll Length: 100' Width: 36", 54" • Tear, Scratch, & Chemical Resistant, Heat, humidity, & climate stability • Either side or both printable, Curl resistant, Dimensionally stable ensuring graphic integrity	11mil	(Satin)	LU 3" Core	Pop Up
3515	POLYSOL ROLL UP Roll Length: 66' Width: 36", 42", 54" • Semi-Rigid Polyester Base, Low Glare Satin Finish, 100% Opacity / Blockout • Instant Dry / Water Resistant, Lay Flat, Will Not "Cup" Over Time	7mil	(Satin)	SLOH 3" Core	Roll Up
3516	POLYSOL POP UP Roll Length: 66' Width: 36", 54" • Thick, 12 mil Polyester Base, Lay Flat, 100% Opacity / Blockout, Fast Drytime • Scratch Resistant / Water Resistant, Good Lamination Characteristics	12mil	(Satin)	SLO 3" Core	Pop Up
3275	TEXBANNER XTREM Roll Length: 125' Width: 36", 42", 54", 60" • Bright white, 100% synthetic non-woven universal outdoor banner material • Can be stapled, sewn & grommeted, PVC-free and recyclable	12.5mil	(Matte)	LUA 3" Core	Banner
3502	EXPO FABRIC Roll Length: 50' Width: 36", 42", 54", 60" • Woven Polyester Fabric, B1 & M1 Certified (Flame Retardant)	12mil	(Matte)	ALU 3" Core	Banner
3208	QUICKSTICK Roll Length: 100' Width: 42", 54", 60" • Polyester fabric base, PVC Free, Repositionable / Reusable, Tear Resistant • No Residue / Clean Removal, Contour Cut Compatible, Outdoor Durable (12mil w/liner)	6mil	(Satin)	SLO 3" Core	ADH Display
3550	CLEAR SOL WINDOW CLING Roll Length: 100' Width: 36", 42, 54" • Unique coating combines the ink receptive layer with a water-activated composition • Designed for window advertising and can also be used as a normal clear film	5mil	(Gloss)	SLO 3" Core	Window
3166	CLEARSTICK Roll Length: 75' Width: 17", 24", 36", 50" • Clear Polyester Film, Removable Aqueous Adhesive, Wet or Dry Application, 4mil liner	2mil	(Gloss)	ALU 3" Core	ADH Display

ARTISTIC SPECIALTIES & CANVAS

3137	BRAVO II Roll Length: 75' Width: 36", 54", 60" • Enhanced reliability with poly/cotton blend, No surface or edge cracking • Fine art suitable for oils and acrylics, Archival quality, Strengthened 2:1 structure weave	18mil	(Matte)	SOO	3" Core
3609	PICASSO Roll Length: 50' Width: 36", 54", 60" • Uniform Surface Structure, Waterfast, No Edge Cracking, Excellent Flexibility for Stretching • 65/35 Polyester / Cotton Blend, Fast Drytime, 1:1 Weave Structure	17mil	(Satin)	SOO	3" Core

BACKLIT

3746	VIVALUX LIGHT LTX Roll Length: 100' Width: 36", 50", 60"	5mil	(Matte)	LOH	3" Core
3747	VIVALUX HEAVY LTX Roll Length: 100' Width: 36", 42", 54", 60" • Premium Polyester Base, Durable Matte Coating, Scratch Resistant, Excellent Lamination	8mil	(Matte)	LO	3" Core
3567	AUROLUX Roll Length: 100' Width: 54", 60" • Dimensionally Stable, Scratch Resistant, Outdoor Durable • For Use With Lights On or Off	9mil	(Gloss)	LSOH	3" Core
3364	SL BACKLIT FILM Roll Length: 100' Width: 36", 54", 60" (54" x 40") • Dimensionally Stable, Outdoor Durable, Quick Dry/High Inkload • Day and Night Application	10mil	(Satin)	LSO	3" Core
3194	UV FUSION Roll Length: 150' Width: 50", 61" • Dimensionally Stable Polyester Film, Excellent Ink Adhesion, Bright White Glossy Surface • Flexible Film, Roll to Roll Productivity	5mil	(Matte)	U	3" Core
3419	LIGHTCURE Roll Length: 150' Width: 54", 60", 63" Roll Length: 300' Width: 63" • PVC free, Outdoor Durable, Dimensionally Stable, Easy to Install	7mil	(Matte)	LO	3" Core 3" Core

WALL COVERINGS

2500	DESIGN2WALL UV Roll Length: 167' Width: 60" • Certified for HP Latex inks, PVC Free, Class A Fire Retardant, Dimensional Stable	12mil	(Matte)	LOH	FSC Certified 3" Core
2510	DESIGN2WALL AQUA Roll Length: 100' Width: 30", 54", 60" • Certified for HP Latex inks, PVC Free, Class A Fire Retardant, Wide Color Gamut • Liquid Laminate Recommended	14mil	(Matte)	ALOH	FSC Certified 3" Core
2512	DESIGN2WALL SOL Roll Length: 167' Width: 30", 54", 60"	13.4mil	(Matte)	SOO	FSC Certified 3" Core
2534	DESIGN2WALL SOL LINEN Roll Length: 100' Width: 30", 54", 60" • Certified for HP Latex inks, PVC Free, Class A Fire Retardant, Wide Color Gamut • Performance Coated, No lamination needed	13.4mil	(Matte)	SOO	FSC Certified 3" Core

