



simply the better solution

Sihl Inc.
800.366.7393
www.sihlinc.com



Solvent Media

Sihl Quick Reference Guide



The mark of
responsible forestry

Certified for
HP Latex Inks

PHOTO MEDIA

3145	GLAMOUR Roll Length: 100' Width: 30", 54" • Flexible, Semirigid Board, High Density and Color Gamut • Premium Photo Quality Satin Finish and instant dry characteristics.	12mil	(Satin)	900	3" Core
3357	PACIFICA II Roll Length: 150' Width: 30", 36", 54", 60" • Bright White, Scratch Resistant, Water Resistant, No Show Through • No Cockling from Heavy Inkload, High Density and Color Gamut	7mil	(Matte)	900	FSC Certified 3" Core
3699	TRISOLV PHOTOART Roll Length: 150' Width: 36", 54", 63" • Photorealistic and brilliant color reproduction, homogenous gloss surface • High degree of stiffness, Water repellent surface & wet strength.	9mil	(Gloss)	900	FSC Certified 3" Core
3686	TRISOLV PRIMEART Roll Length: 165' Width: 30", 42", 54", 60", 63" Roll Length: 656' Width: 63" • Bright White, Scratch Resistant, Can Fold Without Cracking • Wet Strength for Posting	8mil	(Semi-Gloss)	900	FSC Certified 3" Core 6" Core

IMAGING MEDIA

3683	TRISOLV PRIMEART BLUEBACK PSA Roll Length: 164' Width: 54" • Blue Back for blackout applications, Bright White, Scratch Resistant, Water Resistant • Wet Strength for Posting, 11 mil with Silicon Release Liner	9mil	(Semi-Gloss)	900	3" Core
3689	TRISOLV POSTART Roll Length: 200' Width: 30", 42", 54", 60", 63" • Bright White, Scratch Resistant, Water Resistant • Can Fold Without Cracking, Wet Strength for Posting	6mil	(Satin)	900	FSC Certified 3" Core
3687	TRISOLV POSTART BLUEBACK Roll Length: 200' Width: 63" • Blue Back for blackout applications, Bright White, Scratch Resistant, Water Resistant • Can Fold Without Cracking, Wet Strength for Posting	6mil	(Satin)	900	FSC Certified 3" Core

ARTISTIC SPECIALTIES & CANVAS

3137	BRAVO II Roll Length: 75' Width: 36", 54", 60" • Enhanced reliability with poly/cotton blend, No surface or edge cracking • Fine art suitable for oils and acrylics, Archival quality, Strengthened 2:1 structure weave	18mil	(Matte)	900	3" Core
3609	PICASSO Roll Length: 50' Width: 36", 54", 60" • Uniform Surface Structure, Waterfast, No Edge Cracking, Excellent Flexibility for Stretching • 65/35 Polyester / Cotton Blend, Fast Drytime, 1:1 Weave Structure	17mil	(Satin)	90	3" Core

POINT OF SALE MEDIA

3629	SYNTISOL Roll Length: 100' Width: 36", 54", 60" • Tear Resistant Polypropylene Base, Lay Flat, Water Resistant, Scratch Resistant • Fast Drytime and high color brilliance.	7mil	(Matte)	900	Banner 3" Core
3392	SYNTISOL PP GRAYBACK Roll Length: 100' Width: 36" • Polypropylene with a grayback for 99% Opacity / Blockout • Scratch and water proof for outdoor durability	7mil	(Satin)	900	Roll Up 3" Core
3529	SYNTISOL with Easy Tack Roll Length: 100' Width: 36", 42", 50" • EasyTack - Adhesive, Tear Resistant Polypropylene Base, Lay Flat Kiss Cut Liner • Water Resistant, Fast Drytime, 13 mil w/ Liner	7mil	(Matte)	90	Display 3" Core
3515	POLYSOL ROLL UP Roll Length: 66' Width: 36", 42", 54" • Semi-Rigid Polyester Base, Low Glare Satin Finish, 100% Opacity / Blockout • Instant Dry / Water Resistant, Lay Flat, Will Not "Cup" Over Time	7mil	(Satin)	9000	Roll Up 3" Core
3516	POLYSOL POP UP Roll Length: 66' Width: 36", 54" • Thick, 12 mil Polyester Base, Lay Flat, 100% Opacity / Blockout, Fast Drytime • Scratch Resistant / Water Resistant, Good Lamination Characteristics	12mil	(Satin)	900	Pop Up 3" Core
3408	DURASOL LIGHT Roll Length: 100' Width: 36", 54" • Durable Semi-Rigid PVC Base, Tear Resistant, Lay Flat, Water Resistant	9mil	(Satin)	9	Roll Up 3" Core
3608	DURASOL MEDIUM Roll Length: 100' Width: 36", 42", 54" • Durable Semi-Rigid PVC Base, Tear Resistant, Waterfast, High Opacity • Used with or without Lamination	12mil	(Satin)	90	Pop Up 3" Core
3508	DURASOL HEAVY Roll Length: 66' Width: 36", 54" • Ultra Durable Semi Rigid PVC Base, Tear Resistant, Waterfast • Used With or Without Lamination, Ideal Stiffness for Trade Show and Retail Displays	17mil	(Satin)	9	Panel 3" Core
3208	QUICKSTICK Roll Length: 100' Width: 42", 54", 60" • Polyester fabric base, PVC Free, Repositionable / Reusable, Tear Resistant • No Residue / Clean Removal, Contour Cut Compatible, Outdoor Durable (12mil w/liner)	6mil	(Satin)	900	ADH Display 3" Core
3550	CLEAR SOL WINDOW CLING Roll Length: 100' Width: 36", 42, 54" • Unique coating combines the ink receptive layer with a water-activated composition • Designed for window advertising and can also be used as a normal clear film	5mil	(Gloss)	900	Window 3" Core

BACKLIT

- 3649 OPTILUX FP LIGHT 6mil (Matte) 9** | 3" Core
Roll Length: 65' | Width: 36", 50", 60"
• Polyester Base, High Image Density, High Inkload, Excellent Ink Adhesion
• Water Resistant, Excellent Lamination
- 3567 AUROLUX 9mil (Gloss) 150H** | 3" Core
Roll Length: 100' | Width: 54", 60"
• Dimensionally Stable, Scratch Resistant, Outdoor Durable
• For Use With Lights On or Off
- 3364 SL BACKLIT FILM 10mil (Satin) 150** | 3" Core
Roll Length: 100' | Width: 36", 54", 60"
• Dimensionally Stable, Outdoor Durable, Quick Dry/High Inkload
• Day and Night Application

WALL COVERINGS

- 2512 DESIGN2WALL SOL 13.4mil (Matte) 900** | FSC Certified | 3" Core
Roll Length: 167' | Width: 30", 54", 60"
• Certified for HP Latex inks, PVC Free, Class A Fire Retardant, Wide Color Gamut
• Performance Coated, No lamination needed
- 2534 DESIGN2WALL SOL Linen 13.4mil (Matte) 900** | FSC Certified | 3" Core
Roll Length: 100' | Width: 30", 54", 60"
• Certified for HP Latex inks, PVC Free, Class A Fire Retardant, Wide Color Gamut
• Performance Coated, Embossed linen pattern

