



simply the better solution

Sihl Inc.
800.366.7393
www.sihlinc.com



Latex & UV Media

Sihl Quick Reference Guide



The mark of
responsible forestry

Certified for
HP Latex Inks

PHOTO MEDIA

3145	GLAMOUR	12mil	(Satin)	SLU	3" Core
	Roll Length: 100' Width: 54"				
	• Flexible, Semirigid Board, High Density and Color Gamut, Instant dry characteristics				
3257	POSTERCOLOR X	7.5mil	(Matte)	LAUH	FSC Certified 3" Core 3" Core
	Roll Length: 150' Width: 36", 54", 60"				
	Roll Length: 100' Width: 24", 36", 42", 50", 60"				
	• Wide gamut and high optical densities and cockle free. • High Ink Load Capacity, Fast Dry, Compatible with PSA & Thermal Overlamines				
3282	POSTERBRIGHT™	10mil	(Matte)	AL	FSC Certified 3" Core
	Roll Length: 100' Width: 24", 36", 42", 44", 50", 60"				
	• Exceptional Color Rendering, Instant Dry, Hot & Cold Lamination Compatible				
3357	PACIFICA II	7mil	(Matte)	SLU	FSC Certified 3" Core
	Roll Length: 150' Width: 30", 36", 54", 60"				
	• Bright White, Scratch Resistant, Water Resistant, No Show Through, No Cockling				
3686	TRISOLV PRIMEART	8mil	(Semi-Gloss)	SLUH	FSC Certified 3" Core 6" Core
	Roll Length: 165' Width: 30", 42", 54", 60", 63"				
	Roll Length: 656' Width: 63"				
	• Bright White, Scratch Resistant, Can Fold Without Cracking, Wet Strength for Posting				
3699	TRISOLV PHOTOART	9mil	(Gloss)	SLUH	FSC Certified 3" Core
	Roll Length: 150' Width: 36", 54", 63"				
	• Photorealistic and brilliant color reproduction, homogenous gloss surface • High degree of stiffness, Water repellent surface & wet strength.				
3698	IMOLA	7mil	(Pearl)	LAU	FSC Certified 3" Core 3" Core
	Roll Length: 150' Width: 36", 54", 60"				
	Roll Length: 100' Width: 24", 36", 42", 50", 60"				
	• Pearl Finish, Exceptional Color Gamut, Instant Dry, Folds Without Cracking • Anti-reflective pearl finish, best cost to performance ratio.				
3670	IMOLA PSA	9mil (2mil liner)	(Pearl)	LAU	3" Core
	Roll Length: 100' Width: 24", 36", 42", 50", 60"				
	• Pearl Finish, Exceptional Color Gamut, Instant Dry, Folds Without Cracking • Aggressive adhesive, can be adhered to a variety of surfaces.				

ARTISTIC SPECIALTIES & CANVAS

3137	BRAVO II	18mil	(Matte)	SLU	3" Core
	Roll Length: 75' Width: 36", 54", 60"				
	• Enhanced reliability with poly/cotton blend, No surface or edge cracking • Fine art suitable for oils and acrylics, Archival quality, Strengthened 2:1 structure weave				
3609	PICASSO	17mil	(Satin)	SLU	3" Core
	Roll Length: 50' Width: 36", 54", 60"				
	• Uniform Surface Structure, Waterfast, No Edge Cracking, Excellent Flexibility for Stretching • 65/35 Polyester / Cotton Blend, Fast Drytime, 1:1 Weave Structure				
4583	T-Printz™ Universal Light Fabric Transfer	5.5mil	(Satin)	AL	3" Core
	Roll Length: 50' Width: 36"				
	• Fade Resistant, Colors Stay Brilliant After Multiple Washes • Easy to Use - Simple, Four Step Process				

POINT OF SALE MEDIA

3629	SYNTISOL Roll Length: 100' Width: 36", 54", 60" • Tear Resistant Polypropylene Base, Lay Flat, Water Resistant, Scratch Resistant • Fast Drytime and high color brilliance.	7mil	(Matte)	SLO	Banner 3" Core
3900	SYNTITEC POLYPRO Roll Length: 100' Width: 24", 36", 42", 50" • Tear resistant, Outdoor durable, Fast dry, Compatible with overlaminates	8mil	(Matte)	ALP	Banner 3" Core
3245	DISPLAYPRO C2S Roll Length: 150' Width: 36", 50"	5mil	(Satin)	LO	Roll Up 3" Core
3248	DISPLAYPRO C2S Roll Length: 100' Width: 36", 54"	8mil	(Satin)	LO	Roll Up 3" Core
3241	DISPLAYPRO C2S Roll Length: 100' Width: 36", 50" • Tear, Scratch, & Chemical Resistant, Heat, humidity, & climate stability • Either side or both printable, Curl resistant, Dimensionally stable ensuring graphic integrity	11mil	(Satin)	LO	Pop Up 3" Core
3515	POLYSOL ROLL UP Roll Length: 66' Width: 36", 42", 54" • Semi-Rigid Polyester Base, Low Glare Satin Finish, 100% Opacity / Blockout • Instant Dry / Water Resistant, Lay Flat, Will Not "Cup" Over Time	7mil	(Satin)	SLOH	Roll Up 3" Core
3516	POLYSOL POP UP Roll Length: 66' Width: 36", 54" • Thick, 12 mil Polyester Base, Lay Flat, 100% Opacity / Blockout, Fast Drytime • Scratch Resistant / Water Resistant, Good Lamination Characteristics	12mil	(Satin)	SLO	Pop Up 3" Core
3275	TEXBANNER XTREM Roll Length: 125' Width: 36", 42", 54", 60" • Bright white, 100% synthetic non-woven universal outdoor banner material • Can be stapled, sewn & grommeted, PVC-free and recyclable	12.5mil	(Matte)	LUAP	Banner 3" Core
3208	QUICKSTICK Roll Length: 100' Width: 42", 54", 60" • Polyester fabric base, PVC Free, Repositionable / Reusable, Tear Resistant • No Residue / Clean Removal, Contour Cut Compatible, Outdoor Durable (12mil w/liner)	6mil	(Satin)	SLO	ADH Display 3" Core
3512	FABRIC BANNER PLUS FR AQ Roll Length: 49.2' Width: 36", 42", 54" • Water, Scratch, Tear Resistant • sNFPA 701 Certified	11mil	(Matte)	ALU	Pop Up 3" Core
3517	WALLGRAFX Roll Length: 82' Width: 54" • Easy to Apply and Remove/Can be Repositioned/ Short-Term Outdoor Durable • Certified as ASTM-E84 Class A	14mil	(Satin)	SLO	ADH Display 3" Core
3166	CLEARSTICK Roll Length: 75' Width: 17", 24", 36", 50" • Clear Polyester Film, Removable Aqueous Adhesive, Wet or Dry Application, 4mil liner	2mil	(Gloss)	ALU	ADH Display 3" Core

IMAGING MEDIA

3683	TRISOLV PRIMEART BLUEBACK PSA	9mil	(Semi-Gloss)	SLU	3" Core
	Roll Length: 164' Width: 54"				
	<ul style="list-style-type: none"> • Blue Back for blackout applications, Bright White, Scratch Resistant, Water Resistant • Wet Strength for Posting, 11 mil with Silicon Release Liner 				
3687	TRISOLV POSTART BLUEBACK	6mil	(Satin)	SLU	FSC Certified 3" Core
	Roll Length: 200' Width: 63"				
	• Blue Back for blackout applications, Bright White, Scratch Resistant, Water Resistant				
3684	TRISOLV PRIME	6mil	(Semi-Gloss)	SLU	FSC Certified 3" Core
	Roll Length: 200' Width: 54", 63"				
	• Outdoor Durable Wet Strength Paper / Good Fold Endurance / Ideal for City/Mega Light Posters				
3689	TRISOLV POSTART	6mil	(Satin)	SLUH	FSC Certified 3" Core
	Roll Length: 200' Width: 30", 42", 54", 60", 63"				
	• Bright White, Scratch Resistant, Water Resistant, Can Fold Without Cracking, Wet Strength				
3333	TRUECOLOR	37#/140gsm	(Matte)	ALUPH	FSC Certified 3" Core
	Roll Length: 100' Width: 24", 36", 42", 50", 60", (200' 140" Ⓟ)				
3335	TRUECOLOR	48#/180gsm	(Matte)	ALU	FSC Certified
	• Bright White, High Color Density, Fast Dry, Excellent for Display and Technical Graphics				
3150	Tucson™ 2-Sided IJ Paper	24#/90gsm	(Matte)	AL	3" Core
	Roll Length: 300' Width: 24", 36", 42"				
	• Bright White, 2 Side Printable, Fast Dry				

BACKLIT

3746	VIVALUX LIGHT LTX	5mil	(Matte)	LUH	3" Core
	Roll Length: 100' Width: 36", 50", 60"				
3747	VIVALUX HEAVY LTX	8mil	(Matte)	LU	3" Core
	Roll Length: 100' Width: 36", 42", 54", 60"				
	• Premium Polyester Base, Durable Matte Coating, Scratch Resistant, Excellent Lamination				
3567	AUROLUX	9mil	(Gloss)	LSUH	3" Core
	Roll Length: 100' Width: 54", 60"				
	<ul style="list-style-type: none"> • Dimensionally Stable, Scratch Resistant, Outdoor Durable • For Use With Lights On or Off 				
3364	SL BACKLIT FILM	10mil	(Satin)	LSU	3" Core
	Roll Length: 100' Width: 36", 54", 60" (54"x 40")				
	<ul style="list-style-type: none"> • Dimensionally Stable, Outdoor Durable, Quick Dry/High Inkload • Day and Night Application 				
3419	LIGHTCURE	7mil	(Matte)	LU	3" Core 3" Core
	Roll Length: 150' Width: 54", 60", 63"				
	Roll Length: 300' Width: 63"				
	• PVC free, Outdoor Durable, Dimensionally Stable, Easy to Install				

WALL COVERINGS

2512	DESIGN2WALL SOL	13.4mil	(Matte)	SLU	FSC Certified 3" Core
	Roll Length: 167' Width: 30", 54", 60"				
	<ul style="list-style-type: none"> • Certified for HP Latex inks, PVC Free, Class A Fire Retardant, Wide Color Gamut • Performance Coated, No lamination needed 				