



simply the better solution

Sihl Inc.
800.366.7393
www.sihlinc.com



Value Line Media

Sihl Quick Reference Guide

Certified for
HP Latex Inks

PAPER

| | | | |
|------|---|------------------------|--------------------------------------|
| 3672 | Performance SL Paper Roll Length: 165' Width: 30", 54", 63" Roll Length: 656' Width: 63" • Satin finish, Outdoor Durable, Fold without cracking | 190gsm, 8mil | LSU 3" Core 6" Core |
| 3673 | Performance SL Paper Roll Length: 200' Width: 54", 63" • Satin finish, Outdoor Durable, Fold without cracking | 130 gsm, 6mil | SUU 3" Core |
| 3210 | Blockout Paper Roll Length: 150' Width: 54", 60" • Satin finish, Printable 2 sides, 100% opacity, PVC free | 240gsm, 8mil | LU 3" Core |
| 3211 | Blockout Paper Roll Length: 150' Width: 54", 60" • Satin finish, Printable 2 sides, 100% opacity, PVC free | 300gsm, 10.5mil | LU 3" Core |

CANVAS

| | | | |
|------|--|---------------------|-------------------------|
| 3213 | Economy Canvas Roll Length: 60' Width: 24", 36", 44", 60" • Matte finish, 1:1 Weave, 65/35% Blend Canvas, Décor Canvas | 365gsm/17mil | ALU 3" Core |
| 3222 | Economy Solvent Canvas Roll Length: 75' Width: 36", 54", 60" • Reliable Poly/Cotton Blend, No Surface or Edge Cracking, 1:1 weave | 315gsm/15mil | SUU 3" Core |

POINT OF SALE MEDIA - Banner

| | | | |
|------|--|--------------------|-------------------------|
| 3216 | Economy Roll Up Roll Length: 100' Width: 36", 50" • Non curling Grayback, with a subtle lustre pebble surface. | 335gsm/9mil | SUU 3" Core |
| 3396 | "Big Dog" Roll-Up Banner Roll Length: 100' Width: 36", 50" • 100% Polyester, Lay Flat, Tear Resistant, Grayback | 7mil | SUU 3" Core |

POINT OF SALE MEDIA - Floor Graphics

| | | |
|------|---|------------------------|
| 3234 | AlumaMax Adhesive Floor & Wall Graphics 17.7mil Roll Length: 32.8' Width: 37.8", 54" <ul style="list-style-type: none">• Conforms to rigid surfaces• Slip Proof (Conforms to ANSI/NFSI B101.3) | SU 3" Core |
| 3235 | Speedy Vinyl No-Slip Floor Graphic 10mil Roll Length: 82' Width: 54" <ul style="list-style-type: none">• Scrim / Nylon reinforced• Slip Proof (Conforms to ANSI/NFSI B101.3 / UL 410) | SU 3" Core |
| 3236 | Turtle Vinyl Floor Graphic 8.5mil Roll Length: 98' Width: 54" <ul style="list-style-type: none">• Use with smooth surfaces (Ex. smooth tile or linoleum)• Slip resistant (Conforms to ANSI B101.3 standards)• Flame Retardent - Certified as ASTM-E84 Class A | SU 3" Core |

POINT OF SALE MEDIA - Window Perf

| | | |
|------|---|-------------------------|
| 3214 | 60/40 Window Perf 12.5mil (6.5mil vinyl, 6mil liner) Roll Length: 100' Width: 54", 60" Roll Length: 164' Width: 42", 54", 60" <ul style="list-style-type: none">• Removable clear acrylic adhesive• 1.5 mm hole | SUH 3" Core |
| 3215 | 80/20 Window Perf 12mil (6mil vinyl, 6mil liner) Roll Length: 100' Width: 54" Roll Length: 164' Width: 54", 60" <ul style="list-style-type: none">• Removable clear acrylic adhesive• 1.5 mm hole | SU 3" Core |
| 3218 | 50/50 Window Perf 12.5mil (6.5mil vinyl, 6mil liner) Roll Length: 164', 100' Width: 54" <ul style="list-style-type: none">• Removable clear acrylic adhesive• 1.6 mm hole | SUH 3" Core |
| 3226 | 70/30 UV Window Perf 15.5mil (7mil vinyl, 8.5mil liner) Roll Length: 164' Width: 54", 60" <ul style="list-style-type: none">• Double liner to avoid clogging holes• 1.5 mm hole | SU 3" Core |
| 3227 | 70/30 UV Window Perf Low Tack 15.5mil (7mil vinyl, 8.5mil liner) Roll Length: 164' Width: 54" <ul style="list-style-type: none">• Double liner to avoid clogging holes• 1.5 mm hole | SU 3" Core |
| 3231 | 70/30 Non-Adhesive Window Perf PET 10mil Roll Length: 82' Width: 54" <ul style="list-style-type: none">• Designed for interior glass Installations• 1.6 mm hole, Use with 3232 | SU 3" Core |

For more information please visit Sihlinc.com where you can find spec sheets, instruction guides, and even certifications for all of our great products. These will be available under our support and downloads tab and all can be easily downloaded. You can also use the following QR codes for a direct link to each of these pages.

Value Line Spec Sheets



Resources and Certifications



Instruction Guides

