



simply the better solution

Sihl Inc.  
800.366.7393  
www.sihlinc.com



## Solvent Media

## Sihl Quick Reference Guide



The mark of  
responsible forestry

Certified for  
HP Latex Inks

## PHOTO MEDIA

3145	<b>GLAMOUR</b> Roll Length: 100'   Width: 54" • Flexible, Semirigid Board, High Density and Color Gamut • Premium Photo Quality Satin Finish and instant dry characteristics.	12mil	(Satin)	<b>SLOO</b>	3" Core
3357	<b>PACIFICA II</b> Roll Length: 150'   Width: 30", 36", 54", 60" • Bright White, Scratch Resistant, Water Resistant, No Show Through • No Cockling from Heavy Inkload, High Density and Color Gamut	7mil	(Matte)	<b>SLOO</b>	FSC Certified   3" Core
3699	<b>TRISOLV PHOTOART</b> Roll Length: 150'   Width: 36", 54", 63" • Photorealistic and brilliant color reproduction, homogenous gloss surface • High degree of stiffness, Water repellent surface & wet strength.	9mil	(Gloss)	<b>SLOOH</b>	FSC Certified   3" Core
3686	<b>TRISOLV PRIMEART</b> Roll Length: 165'   Width: 30", 42", 54", 60", 63" Roll Length: 656'   Width: 63" • Bright White, Scratch Resistant, Can Fold Without Cracking • Wet Strength for Posting	8mil	(Semi-Gloss)	<b>SLOOH</b>	FSC Certified   3" Core   6" Core

## IMAGING MEDIA

3683	<b>TRISOLV PRIMEART BLUEBACK PSA</b> Roll Length: 164'   Width: 54" • Blue Back for blockout applications, Bright White, Scratch Resistant, Water Resistant • Wet Strength for Posting, 11 mil with Silicon Release Liner	9mil	(Semi-Gloss)	<b>SLOO</b>	3" Core
3687	<b>TRISOLV POSTART BLUEBACK</b> Roll Length: 200'   Width: 63" • Blue Back for blockout applications, Bright White, Scratch Resistant, Water Resistant • Can Fold Without Cracking, Wet Strength for Posting	6mil	(Satin)	<b>SLOO</b>	FSC Certified   3" Core
3684	<b>TRISOLV PRIME</b> Roll Length: 200'   Width: 54", 63" • Outdoor Durable Wet Strength Paper / Good Fold Endurance • Ideal for City/Mega Light Posters	6mil	(Semi-Gloss)	<b>SLOO</b>	FSC Certified   3" Core
3689	<b>TRISOLV POSTART</b> Roll Length: 200'   Width: 30", 42", 54", 60", 63" • Bright White, Scratch Resistant, Water Resistant • Can Fold Without Cracking, Wet Strength for Posting	6mil	(Satin)	<b>SLOOH</b>	FSC Certified   3" Core

## ARTISTIC SPECIALTIES & CANVAS

3137	<b>BRAVO II</b> Roll Length: 75'   Width: 36", 54", 60" • Enhanced reliability with poly/cotton blend, No surface or edge cracking • Fine art suitable for oils and acrylics, Archival quality, Strengthened 2:1 structure weave	18mil	(Matte)	<b>SLOO</b>	3" Core
3609	<b>PICASSO</b> Roll Length: 50'   Width: 36", 54", 60" • Uniform Surface Structure, Waterfast, No Edge Cracking, Excellent Flexibility for Stretching • 65/35 Polyester / Cotton Blend, Fast Drytime, 1:1 Weave Structure	17mil	(Satin)	<b>SLO</b>	3" Core

## POINT OF SALE MEDIA

3629	<b>SYNTISOL</b> Roll Length: 100'   Width: 36", 54", 60" • Tear Resistant Polypropylene Base, Lay Flat, Water Resistant, Scratch Resistant • Fast Drytime and high color brilliance.	7mil	(Matte)	<b>S00</b>	Banner   3" Core
3529	<b>SYNTISOL with Easy Tack</b> Roll Length: 100'   Width: 36", 42", 50" • EasyTack - Adhesive, Tear Resistant Polypropylene Base, Lay Flat Kiss Cut Liner • Water Resistant, Fast Drytime, 13 mil w/ Liner	7mil	(Matte)	<b>S0</b>	Display   3" Core
3515	<b>POLYSOL ROLL UP</b> Roll Length: 66'   Width: 36", 42", 54" • Semi-Rigid Polyester Base, Low Glare Satin Finish, 100% Opacity / Blockout • Instant Dry / Water Resistant, Lay Flat, Will Not "Cup" Over Time	7mil	(Satin)	<b>S000</b>	Roll Up   3" Core
3516	<b>POLYSOL POP UP</b> Roll Length: 66'   Width: 36", 54" • Thick, 12 mil Polyester Base, Lay Flat, 100% Opacity / Blockout, Fast Drytime • Scratch Resistant / Water Resistant, Good Lamination Characteristics	12mil	(Satin)	<b>S00</b>	Pop Up   3" Core
3608	<b>DURASOL MEDIUM</b> Roll Length: 100'   Width: 36", 42", 54" • Durable Semi-Rigid PVC Base, Tear Resistant, Waterfast, High Opacity • Used with or without Lamination	12mil	(Satin)	<b>S0</b>	Pop Up   3" Core
3208	<b>QUICKSTICK</b> Roll Length: 100'   Width: 42", 54", 60" • Polyester fabric base, PVC Free, Repositionable / Reusable, Tear Resistant • No Residue / Clean Removal, Contour Cut Compatible, Outdoor Durable (12mil w/liner)	6mil	(Satin)	<b>S00</b>	ADH Display   3" Core
3517	<b>WALLGRAFX</b> Roll Length: 82'   Width: 54" • Easy to Apply and Remove/Can be Repositioned/ Short-Term Outdoor Durable • Certified as ASTM-E84 Class A	14mil	(Satin)	<b>S00</b>	ADH Display   3" Core

## BACKLIT

3567	<b>AUROLUX</b> Roll Length: 100'   Width: 54", 60" • Dimensionally Stable, Scratch Resistant, Outdoor Durable • For Use With Lights On or Off	9mil	(Gloss)	<b>0000</b>	3" Core
3364	<b>SL BACKLIT FILM</b> Roll Length: 100'   Width: 36", 54", 60" (54" x 40") • Dimensionally Stable, Outdoor Durable, Quick Dry/High Inkload • Day and Night Application	10mil	(Satin)	<b>000</b>	3" Core

## WALL COVERINGS

2512	<b>DESIGN2WALL SOL</b> Roll Length: 167'   Width: 30", 54", 60" • Certified for HP Latex inks, PVC Free, Class A Fire Retardant, Wide Color Gamut • Performance Coated, No lamination needed	13.4mil	(Matte)	<b>S00</b>	FSC Certified   3" Core
------	---	---------	---------	------------	----------------------------

